

CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate number: 1720-CPR-0216

In compliance with Statutory Instruments 2019 No.465 of the United Kingdom Houses of Parliament 5th March 2019 (The Construction Products (Amendment etc.) (EU Exit) Regulations 2019), this certificate applies to the construction product:

Single Leaf Glazed & Unglazed Firesafe Doorset range of Fire Resistant Timber based Composite Doorsets, including those with Glazed Toplights and Sidelights

Issued by IFC Certification Ltd part of the Kiwa UK Group

Doorsets for fire compartmentation are produced by

Unity Doors Ltd.,

In the manufacturing plant:


**Unit 1 Newent Business Park,
Newent,
Gloucestershire
GL18 1DZ**

Signed on behalf of Kiwa Ltd

David Mowatt
Head of IFC Certification /
Kiwa Group Limited

This certificate consists of 2 pages.





This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard:

BS EN 16034:2014 & BS EN 14351-1:2006+A2:2016

Essential Characteristics	Warwick	Richmond	Walliams T&G	Walliams Flush	Gloucester (Pyrobelite 7)	Gloucester (Pyranova 11 Glazing)	Stratford
Resistance To Fire	El ₂ 30	El ₂ 30	El ₂ 30	El ₂ 30	E30	El ₂ 30	E30
Test Report(s)	EFR-19-V-003562	EFR-19-V-003562	EFR-19-V-003562	EFR-19-V-003562	EFR-19-V-003661	EFR-20-V-000416	EFR-22-001989-A
	EFR-22-001989-B	EFR-22-001989-B	EFR-22-001989-B	EFR-22-001989-B	EFR-19-V-003662		EFR-24-000864
					EFR-19-V-003663		EFR-24-001767
					EFR-21-V-001478		
Smoke Control	S _a	S _a	S _a	S _a	S _a	S _a	S _a

Test Reports: WYC417895/Rev2, WYC543409.

Self-Closing	C	C	C	C	C	C	C
Durability of Self Closing							
Against Degradation (Cycle Testing)	5	5	5	5	5	5	5
Against Ageing	Pass	Pass	Pass	Pass	Pass	Pass	Pass

Under the system level applied it is considered that the product fulfils all the prescribed requirements set out on page 1 of the Certificate.

Classification Report: EFR-20-000575 Rev 3
EXAP Report: EFR-20-000575 Rev 3

This certificate was first issued on 1st January 2021, reissued on 6th June 2024 in new format, and revised on 4th September 2024, and will remain valid as long as neither the designated standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are not modified significantly unless suspended or withdrawn by the approved product certification body.

Signed on behalf of Kiwa UK

David Mowatt
Head of IFC Certification / Kiwa Group Limited



IFC Certification Ltd
Ground Floor, Suite A, Building 2
Bear Brook Office Park
Walton Street
Aylesbury
Buckinghamshire
HP21 7GQ
United Kingdom
T +44 (0)1844 276920
www.ifccertification.com

