



DECLARATION OF PERFORMANCE

Issue 4: January 2021

Unity Doors Limited

Unit 1, Newent Business Park,
Newent, Gloucestershire. GL18 1DZ

This document declares that the product range: REGENCY

External pedestrian doorset intended to be used in domestic and commercial buildings, conforms to the product requirements of BS EN 14351-1 :2006+A2:2016

Essential Characteristics	Performance	Test Standards	Name, Address and Notified Body Ref. No.	Test report reference and issue
Watertightness	npd	BS EN 1027	N/A	N/A
Dangerous substances	None	BS EN 14351-1: 2006+A2:2016	N/A	In-house declaration
Resistance to wind load	npd	BS EN 12211	N/A	N/A
Impact resistance	npd	BS EN 13049	N/A	N/A
Load-bearing capacity of safety devices	N/A	BS EN 948	N/A	N/A
Height (mm)	npd	BS EN 14351-1: 2006+A1:2016	N/A	N/A
Ability to release	N/A	BS EN 179 and BS 1125	N/A	N/A
Acoustic Performance	npd	BS EN 140-3	N/A	N/A
Thermal transmittance	1.7 W/(m ² .k) (worst case)	EN ISO 10077-1/2 or EN ISO 12567-1/2	Build Check Ltd, Montrose House, Lancaster Rd., High Wycombe UKAS 4044	CU13215. Iss 1
Radiation properties	npd	EN 140	N/A	N/A
Air permeability	npd	BS EN 1026	N/A	N/A

This declaration of performance is issued under the sole responsibility of Unity Doors Limited

Signed on behalf of Unity Doors Limited:

Signature: 

Date: 7/1/2021

Name: Liam Kelleher

Position: Commercial Director